

()

//

)

(/ .)
(

.()

(.)

)

()

(

()

()

()

()

()

/

()

()

/

/

/

/

ppm

()

OTC-4

EC

/

pH

/

()

/

/

/

()

/

...

:

() / ()

$\frac{2}{5}$ $\frac{1}{5}$

($\frac{2}{5}$)


()

()

//


//

/



MSTATC

PF7045.91



()

()

Hyola308

()	kg/ha	kg/ha	kg/ha	(%)	(m ²)		
/ a	b	b	/ a	/ a	/ a	/ b	.
/ b	/ a	/ a	/ b	/ b	/ a	/ a	
							kg/ha
/ a	/ b	b	/ c	/ bc	/ c	/ c	
/ ab	/ a	/ a	/ b	/ c	/ b	/ b	
/ c	/ a	/ a	/ b	/ b	/ b	/ b	
/ c	/ a	/ a	/ a	/ a	/ a	/ a	
							*
							%

OTC-4

(p ≤ /)

()

()

()

CO₂

)

()

()

(

NH₄⁺

()

()

()

()

()

(P ≤ /)

()

...

:

()

($P \leq I$)

()

() ()

()

($p \leq I$)

()

)

()

()

()

()

(

()

()

()

()

()

()

()

()

()

()

()

()

($p \leq I$)

($p \leq I$)

()

()

()

()

()

()

()

()

()

()

()

()

()

()	(m ²)	(%)	Kg/ha	(kg/ha)	(kg/ha)	(kg/ha)	
/ a	/ d	/ d	/ ab	e	/ d	/ d	N ₁ V ₁
/ b	/ d	/ dc	/ bcd	c	/ cd	/ cd	N ₂ V ₁
/ c	/ cd	/ c	/ a	/ bc	/ cd	/ bcd	N ₃ V ₁
/ c	/ c	/ a	/ a	/ a	/ b	/ b	N ₄ V ₁
/ c	/ b	/ dc	/ e	/ de	/ bc	/ c	N ₁ V ₂
/ c	/ a	/ b	/ de	/ cd	/ a	/ a	N ₂ V ₂
/ d	/ ab	/ bc	/ cde	/ c	/ b	/ b	N ₃ V ₂
/ d	/ ab	/ c	/ bc	/ bc	/ bc	/ bc	N ₄ V ₂

%

*

N₁=100 kgN/ha, N₂= 150 kgN/ha, N₃=200 kgN/ha, N₄=250 kgN/ha V₁=PF7045/91, V₂= Hyola308

/ **	/ **	/ ns	/ **	/ *	/ ns
	/ **	/ ns	/ **	/ *	/ ns
		/ ns	/ **	/ ns	/ ns
			/ ns	/ **	/ ns
				/ ns	/ ns
					/ **

:ns

** *

()

()

()

()

()

()

()

()

()

()

/

REFERENCES

PF7045.91

7. Anderson, P. & W. G. Wilent. 1993. The effect of irrigation and nitrogen fertilization on yield and oil content on *brassica napus* L. Indian.J.Sci:34(11):117-122.
8. Bilsborrow, P.E. & G. Norton. 1993. The influence of spring nitrogen on yield, yield components on oil rape (*Brassica napus* L.). J. of Agricultural Sci. 120, 219-224.
9. Chngo, G. & P.B.E. Mcvetty. 2001. Relationship of physiological characters to yield parameters in oil seed rape (*Brassica napus* L.). Can. J. of Plant Sci. 1-5
10. Cordeiro, D.S., E.P. Silveira., & A.N. Kichel. 1993. Response of brassica napus to different nitrogen fertilizer application rates and dates. Pesquisa agropecuaria brasileira. 28(10)1137-1142. In Field crop. Abst. 48(7)675.
11. Gaward, A.A., A-ET-Tabbakh, A.M.A. ABO- Shetaia, & A.M.EI-Baz.1990. Effect of nitrogen, phosphours and potassium fertilization on the yield and components of rape plant. Annals of Agriculture science-Ain shams univ-cario(Egypt).
12. Grant, C.A. & L.D.Bailey. 1993. Fertility management in canola production. Can .J. of plant Sci. 73.651-671.
13. Henry, J.L. & K.B. Macdonald. 1978. The effects of soil and fertilizer nitrogen and moisture stress on yield, oil and protein content of rape. Can. J. of Soil Sci. 58:303-310.
14. Jackson, G.D. 2000. Effects of nitrogen and sulfur on canola yield and nutrient uptake. Agron. J. 92:644-648.
15. Nuttal, W.F. & S.S. Malhi. 1991. The effect of time and rate of N application on the yield and N uptake of wheat, barley, flux and four cultivars of rapeseed. Can. J of Soil Sci. 227-229.

16. Patil, N., K.C. Lakshminarayana, & S.C. Bhargava. 1996. Seed yield and yield contributing characters as influenced by N supply in rapeseed- mustard. *J. Agronomy and Crop Science* (177), 197-205.
17. Tandon, H.L.S. 1993. *Fertiliser and nutrient Recommendations for Balance and Efficiency*. Fertiliser Development and Consultation Organisation, India. 105p.