

()

(*Xanthium strumarium* L.)
(*Amaranthus retroflexus*)

*

(// : // :)

%

/

:

(1973) Haizel & Harper

(1996) Tolerr et al. .

(Chhokar & Balyan, 1999)

(1996) Dieleman et al. .

/

(Deines et al., 2004; Conley et

al., 2002)

.(Mousavi, 2001)

(2003) Tranel et al.

(1985) Stoller & Woolley

(*Abutilon theophrasti* L.)

%

(Street et al., 1985)

%

(1990) Sims & Oliver

(*Senna obtusifolia*)

(*Sorghum halepense* L.)

(1998) Cowan .

(*Echinochloa crus-galli* L.)

%

-
1. Integrated weed management (IWM)
 2. Interaction

... (*Xanthium strumarium* L.)

:

()

o

o

Sigma plot Minitab SAS

)

(

)

(

Minitab

/

/

/

.()

.()

.()

/ /

(1998) Cowan .()

%

()

%

.(Bensch et al., 2003)

%

/ /

/


.()

.()


.(Cowan, 1998)

()

(MS)							
()	()	()	()	%	()	()	
/	/	/	/	ns	/	/	
/ ns	/ **	/ **	/ **	ns	**	/ **	
/ *	/ **	/ **	/ **	/ ns	**	/ **	
/ ns	/ ns	/ ns	/ ns	/ ns	**	**	x
/	/	/	/	/	/	/	
							CV%
%		**	%		*		ns



()	()	()	()
/ a	ab /	/ c	/ a
/ b	a /	/ b	/ b
/ c	ab /	/ bc	/ b
/ d	b /	/ a	/ c
/	/	/	/
LSD			



()	()	()	()
/ a	a /	/ c	/ a
/ b	b /	/ bc	/ b
/ c	b /	/ b	/ c
/ d	c /	/ a	/ c
/	/	/	/
LSD			

% LSD

% LSD

... (*Xanthium strumarium* L.)

:

. ()

) .() %

.(

(% /) .()

(% /)

()

/

(% /)

.() (Tolerr et al., .1996)

(...)

.()

()

.()

.() /

/ /

%

/

.() % /

C₃

(Kocheiki et al., 2005) C₄

.(Kocheiki et al., 2001)

.() %

Tranel et al. (2003) .

()

(MS)

()	()	()	()	%	()	()
/ *	**	/ **	/ **	/ ns	**	**
/ ns	/ ns	/ **	/ **	/ ns	**	**
/ ns	/ **	/ **	/ **	/ ns	**	**
/ ns	/ **	/ **	/ **	/ ns	**	**
%	**	%	*	ns		

()

(MS)

()	()	()	()	%	()	()
/ **	*	/ **	/ **	/ ns	**	**
/ **	**	/ **	/ **	/ ns	**	**
/ ns	/ ns	/ ns	/ **	/ ns	**	**
/ ns	/ **	/ ns	/ **	/ ns	*	ns
%	**	%	*	ns		

()

%

(1999) Gossett & Toler

(1998) Krausz et al.

()
/

/

/
(/)

% /

/ / /

(/)

/

... (*Xanthium strumarium* L.)

:

(% /)

/

(% /)

()

()

()

(Holt, 1995)

)

(

()

()

(Rohrig & Stutzel, 2001)

/

(1994) Klingaman & Oliver

/

%

(Chhokar & Balyan, 1999)

()

/

/

REFERENCES

1. Bensch, C. N., Horak, M. J. & Peterson, D. (2003). Interference of redroot pigweed (*Amaranthus retroflexus*), palmer amaranth (*A. palmeri*), and common waterhemp (*A. rudis*) in soybean. *Weed Science*, 51, 37–43.
2. Chhokar, R. S. & Balyan, R. S. (1999). Competition and control of weeds in soybean. *Weed Science*, 37, 107-111.
3. Conley, P. S., Binning, L. K., Boerboom, C. M. & Stoltenberg, D. E. (2002). Estimating giant foxtail cohort productivity in soybean based on weed density, leaf area, or volume. *Weed Science*, 50, 72-78.
4. Cowan, P. (1998). Interference between pigweed (*Amaranthus spp*), barnyardgrass (*Echinochloa crus-galli*), and soybean (*Glycine max*). *Weed Science*, 46, 535-539.
5. Deines, S. R., Dille, J. A., Blinka, E. L. & Staggenbogr, S. A. (2004). Common sunflower (*Helianthus annuus*) and shattercane (*Sorghum bicolor*) interference in corn. *Weed Science*, 52, 976-983.
6. Dieleman, A., Hamill, A. S., Fox, G. C. & Swanton, C. J. (1996). Decision rules for postemergence control of pigweed (*Amaranthus spp.*) in soybean (*Glycine max*). *Weed Science*, 44, 126-132.
7. Gossett, B. J. & Toler, J. E. (1999). Differential control of palmer amaranth (*Amaranthus palmeri*) and smooth pigweed (*A. hybridus*) by postemergence herbicides in soybean (*Glycine max*). *Weed Technology*, 13, 165–168.
8. Haizel, K. & Harper, J. L. (1973). The effect of density and timing of removal on interference between barley, white mustard and wild oats. *Journal of Applied Ecology*, 10, 23-31.
9. Holt, S. J. (1995). Plant response to light: A potential tool for weed management. *Weed Science*, 43,474-482.
10. Klingaman, T. E. & Oliver, L. R. (1994). Palmer amaranth (*Amaranthus palmeri*) interference in soybean (*Glycine max*). *Weed Science*, 42, 523–527.
11. Kocheiki, A., Nakhforosh, E. Z & A. R., Banaeian Aval, M., Rezvani Mogadam, P., Mahdavi Damgani, A., Jami Ahmadi, M. & Vesal, S. (2005). *Plant Ecophysiology*. Ferdowsi University Press. (In Farsi).
12. Kocheiki, A., Zarif Ketabi, H., Nakhforosh, A. R. (2001). *Weed management in Agroecosystems: Ecological approaches*. Ferdowsi University Press. (In Farsi)
13. Krausz, R. F., Kapusta, G. & Matthews, J. L. (1998). Sulfentrazone for weed control in soybean (*Glycine max*). *Weed Technology*, 12, 684-689.
14. Mousavi, M. (2001). *Integrated weed management: Principles and methods*. Meiad Publication. 468 pages. (In Farsi).
15. Rohrig, M. & Stutzel, H. (2001). A model of light competition between vegetable crops and weeds. *European Journal of Agronomy*, 14, 13-29.
16. Sims, B. D. & Oliver, L. R. (1990). Mutual influences of seedling johnsongrass, Sicklepod and soybean. *Weed Science*, 38, 139-147.
17. Stoller, E. W. & Woolley, J. T. (1985). Competition for light by broadleaf weed in soybeans. *Weed Science*, 33, 199-202
18. Street, J. E., Snipes, C. E., Mcguire, J. A. & Buchanan, G. A. (1985). Competition of a binary weed system with cotton (*Gossypium hirsutum*). *Weed Science*, 33, 807-809.
19. Tolerr, J. E., Guice, B. & Murdock, E. C. (1996). Interference between johnsongrass, pigweed and soybean. *Weed Science*, 44, 331-338.
20. Tranel, P. J., Jeschke, M. R., Wassom, J. J., Maxwell, D. J. & Wax, L. M. (2003). Variation in soybean interference among common cocklebur (*Xanthium strumarium* L.) accessions. *Crop Protection*, 22, 375-380.