

()

*

(/ / : / / :)

(TWW/EJ)

(TWW4/EJ) (TWW3/EJ) (TWW2/EJ) (TWW1/EJ)
/ ± / ± / ± / ± /

TWW2/EJ TWW2/EJ TWW1/EJ / /
TWW4/EJ
TWW2/EJ) / (TWW4/EJ TWW3/EJ) /
TWW1/EJ (TWW4/EJ

() ()

()

() (-)
)

(

)

(

()

() FOXPRO

()

()

)

(

(TWW2/EJ) (TWW1/EJ)

(TWW4/EJ) (TWW3/EJ)

() FOXPRO

()

(TWW4/EJ) (TWW1/EJ)

(REML)

()

)

()

() DFREML

(

)

(

(

(

$$y = Xb + Za + e$$

$$y = Xb + Za + Ws + e$$

y:

h

)

-

(%)	\pm (kg)	
/	/ \pm /	TWW1/EJ
/	/ \pm /	TWW2/EJ
/	/ \pm /	TWW3/EJ
/	/ \pm /	TWW4/EJ

()
a ()

S

W Z X

()

()

.()

| | | | |) %
| | | | | . %
| | | | |
() .

TWW3/EJ

.(P< /)

()

()

()

/ / / /

/ () () (/)

TWW2/EJ

(/)
 (/) ()
 (/) ()
 (/)
 ()
 (/)

Log L	$s^2(\text{SE})$	$h_a^2(\text{SE})$	σ_p^2	σ_e^2	σ_s^2	σ_a^2	
/			/	/	/	/	
/	/ (/)	/ (%)	/	/	/	/	TWW1/EJ
/		% (/)	/	/	/	/	
/	/ (/)	% (/)	/	/	/	/	TWW2/EJ
/	/ (/)	/ (/)	/	/	/	/	
/	/ (/)	/ (/)	/	/	/	/	TWW3/EJ
/		/ (/)	/	/	/	/	
/	/ (/)	/ (/)	/	/	/	/	TWW4/EJ
h_a^2	σ_p^2	σ_e^2		σ_s^2		σ_a^2	
			SE			s^2	

$h^2(\text{SE})$	σ_p^2	σ_e^2	σ_a^2	
/ (/)	/	/	/	
/ (/)	/	/	/	TWW2/EJ TWW1/EJ
/ (/)	/	/	/	TWW3/EJ
/ (/)	/	/	/	TWW4/EJ
—	—	—	—	—
/ (/)	/	/	/	
/ (/)	/	/	/	TWW1/EJ TWW2/EJ
/ (/)	/	/	/	TWW2/EJ
/ (/)	/	/	/	TWW3/EJ
—	—	—	—	—
/ (/)	/	/	/	
/ (/)	/	/	/	TWW1/EJ TWW3/EJ
/ (/)	/	/	/	TWW2/EJ
/ (/)	/	/	/	TWW4/EJ
—	—	—	—	—
/ (/)	/	/	/	
/ (/)	/	/	/	TWW1/EJ TWW4/EJ
/ (/)	/	/	/	TWW2/EJ
/ (/)	/	/	/	TWW3/EJ

()

TWW/EJ

r_{p12}	r_{e12}	r_{a12}	σ_{p12}	σ_{e12}	σ_{a12}	
/	/	/	/	/	/	TWW2/EJ
/	/	/	/	/	/	TWW3/EJ TWW1/EJ
/	/	/	/	/	/	TWW4/EJ
/	/	/	/	/	/	TWW3/EJ
/	/	/	/	/	/	TWW4/EJ TWW2/EJ
/	/	/	/	/	/	TWW4/EJ TWW3/EJ
r_{a12}	σ_{a12}	σ_{a12}	O_{a12}	r_{p12}	r_{e12}	

REFERENCES

1. Bromley, C. M, L. D. Van Vleck, & G. D. Snowder. 2001. Genetic correlations for litter weight weaned with growth, prolificacy and wool traits in Columbia, Polypay, Rambouillet and Targhee sheep. *Journal of Animal Science*, 79:339-46.
 2. Cloete, S.W. P., J. C. Greeff, & R. P. Lewer. 2002. Heritability estimates and Genetic and phenotypic correlations of lamb production parameters with hogget liveweight and fleece traits in Western Australian Merino sheep. *Australian Journal of Agriculture Research*, 53:281-86.
 3. Dobson, A. J. 1991. An Introduction to Generalized Linear Models. Chapman and Hall, London, UK. Pp, 174.
 4. Fogarty, NM., L. D. Brash, & A. R. Gilmour. 1994. Genetic parameters for reproduction and their components and liveweight, fat depth and wool production in Hyfer sheep. *Australian Journal of Agriculture Research*, 45:443-57.
 5. Fogarty, N.M. 1995. Genetic parmeters for lieweight, fat and muscle measurements, wool production and reproduction in sheep, A Review. *Animal Breeding Abstract*, 63:101-43.
 6. Foxpro. 1993. Fox Holding, Inc. All Rights Reserved. Patent Pending.
 7. Gholamhoseini, K. 2003. Estimation of genetic parameters for production and reproduction traits in Lari-Bakhtiari sheep of Iran. MS. C. Thesis in animal breeding and genetics, Agricultural College, Tarbiat Modares University, Tehran, Iran.

8. Matika, O., J. B. Van Wyk, G. J. Erasmus, & R. L. Backer. 2001. Phenotypic and genetic relationships between lamb and ewe traits for the Sabi sheep of Zimbabwe. *South African Journal of Animal Science*, 31:215-22.
9. Meyer, K. 1989. Restricted maximum likelihood to estimate variance components for animal models with several random effects using a derivative free algorithm. *Genetics Selection Evaluation*. 21:317-40
10. Meyer, K. 2000. DFREML. Version 3.0, Program to estimate variance components by restricted maximum likelihood using a derivative-free algorithm user note Animal Genetic and Breeding Unit. University of New England, Armidale. NSW. Mimo pp.84
11. Nelder, J.A. & R. Mead. 1965. A simplex method for function minimization. *Computer Journal*, 7:147
12. Olivier, W.J., M. A. Snyman, J. J. Olivier, J. B. Van Wyk, & G. J. Erasmus. 2001. Direct and correlated responses to selection for total weight of lamb weaned in Merino sheep. *South African Journal of Animal Science*, 31:115-121.
13. Rosati, A., E. Mousa, L. D. Van Vleck, & L. D. Young. 2002. Genetic parameters of reproduction traits in sheep. *Small Ruminant Research*, 43:65-74.
14. Snyman, M. A., J. J. Olivier, & W. J. Olivier. 1996. Variance components and genetic parameters for body weight and fleece traits of Merino sheep in an arid environment. *South African Journal of Animal Science*, 26:11-14
15. Snyman, M. A., J. B. Van Wyk, G. J. Erasmus, & J. J. Olivier. 1997. Genetic parameter estimates for total weight of lamb weaned in Afrino and Merino sheep. *Livestock Production Science*, 48:111-16.
16. Snyman, M. A., S. W. P. Cloete, & J. J. Olivier. (1998a). Genetic and phenotypic correlation of total lamb of weaned with body weight, clean fleece weight and mean fiber diameter in three South African Merino flocks. *Livestock Production Science*, 55:157-62.
17. Snyman, M. A., J. B. Van Wyk, G. J. Erasmus, & J. J. Olivier. 1998b. Genetic and phenotypic correlations among production and reproduction traits in Afrino sheep. *South African Journal of Animal Science*, 28:74-81
18. Vaez, T. R., N. Emamjomeh Kashan, A. Nikkhah. 1993. Study of environmental effects and genetic parameters of pre-weaning traits in a Baluchi Sheep herd, *Iranian Journal of Agricultural Sciences*. 23 (2): 33-42.
19. Yazdi, M.H., G. Engstrom, A. Nasholm, K. johansson, H. ,Jorjani, & L. Liljedahl. 1997. Genetic parameters for lamb weight at different ages and wool production in Baluchi sheep. *Animal Science*, 65:274-55.