(// : // : PAGE

E-mail: valipour@nrf.ut.ac.ir Polyacrylamide Gel Electrophoresis

A. marina .() .(.() .() (.() .() .(.() .() .() .() .() Metal tolerant Remediation Anthropogenic

Avicennia

.() . () .() Korori Eberman .() °C r.p.m

EDTA				
			(base)	
	1	1	1	()

(PAGE*) pH= /

* Polyachryamide Gel Electrophoresis

.. .()

%	%		* B	* A			
					()	
						/ :A	_
		. (/)		/ :B	

.

•

(PPM)

/	1	1	
/	1	1	
/	1	1	
/			

()

PPM	μМ	/ µM	/ _И М	μМ	

. C B A

:E420 $:EW^{2}=$


SPSS . (CRD3)


.() %


Interval

Extinction coefficient
Completely Random Design

...







Source of Value	Type 3 Sum of Squares	df	MS	F	Sig.
	1		1	1	1
	1		1	1	/
	1		1	1	1
	1		1	1	1
	1		1	1	1
	1		1	1	1
	1		1	1	1
	1		1		
	1				

		1					
		1					
			1				
Sig.		1					

	I					
		1				
		1				
		1				
		1				
		1				
		1				
			1			
Sig.		1				


...

	1				
	1				
		1			
Sig.	1				


.()						
				()		
						Α	

A

Source of Square	Type 3 Sum of Squares	df	MS	F	Sig.
	1		1 .	1	1
	1		1	1	1
	1		1	1	1
	1		1		
	1				



. **b** a.A



 $ab\,.A$


b a

) (A В

فعالیت آنزیم در زمانهای مختلف در الگوی ۲ а ab b ساعت ۵ ساعت ۲۴ ساعت ۴۸ (b a)

 $.\mathbf{B}$

C .()



C .() A Schutzendubel .() DNA В A .() () Radotic

.()) ().

DNA

- 4- Aust, S.D., C.E. Marehouse and C.E. Thomas, 1985. Role of metals in oxygen radical reactions. Journal of Free Radical and Biological Medicine, 1:3-25.
- 5- Balakrishna, P., 1995. Evaluation of intra-spesific variability in *Avicennia marina* Forsk., using RAPD markers. Canadian Journal of Botany 74(3):403-412.
- 6- Brown, A.H.D., A. Yound, J. Burdon, L. Christidis, G. Clarke, d. Coates, w. Sherwin, , 1997. Genetic Indicators for State of the Environment Reporting. Australia: State of the Environment Technical paper Series (Environment indicators), Department of the Environment, Sport and Territories, Canberra.
- 7- Dietz, K.J., M. Baier, U. Kramer, 1999. Impact of heavy metals pn photosynthesis. Inheavy metal stress in plants: from molecules to ecosystems. Eds. M. N. V. Prasad and J. Hagemeyer, 73-97, spring, Berlin.
- 8- Dodd R.S., Z.A. Rafii F. Fromard F. Blasco, 1998. Evolutionary diversity among Atlantic coast mangroves. Acta Oecologica-International Journal of Ecologia, 19:323-330.
- 9- Gillespie, R.B., S.I. Guttman, 1993. Correlations between water quality and frequencies of allozyme genotypes in Spotfin Shiner (Notropis spilopteris) populations. Environmental Pollution 81:147-150.
- 10- Hartle, D. L., 1988. A Primer of Population Genetics. Sinauer Associates, MA, USA.
- 11- Hoff, R., P.H. Hensel, p. Delgado, G. Shigenaka, R. Yender, J. Alan 2002. Oil Spills in Mangroves. NOAA Ocean Service 70 p.
- 12- Korori, S.A.A., 1989. Gel Elektrophoretische und Spectral Photometrische Unter Suchungen Zum Einfluss der Temperature aut struktur and aktivitatem ph,D. Thesis. University fur bodenkultur in Wien, 196 p.
- 13- Korori, S.A.A., 2003. Losses inflicted on plant communities (uncultivated) in southern ecosystem of iran as a consequence of the Iraq- Kuwait War in 1991, Research Institute of Forest and Rangeland (RIFR), Forest Department Devision, Tehran. UNCC Prosct Report.
- 14- Maguire, T.l., P. Saenger, P. Baverstock, R. Henry, 2000. Microsatellite analysis of genetic structure in the mangrove species *Avicennia marina* (Forsk.) Vierh. (Avicenniaceae). Molecular Ecology, 9:1853-1862.
- 15- Matinizadeh, M,. 2005. Studies on Quercus brantii (var. Persica) in Zagrosian forest, Iran forest ecosystem and its influence on nutrition minerals, enzyme activities and non-structural carbohydrates in twigs and leaves. PhD Thesis, Univerity of Natural Resources and Applied Life Sciences, Vienna, Austria.

- 16- Mitton, J.B., 1989. Physiological and demographic variation associated with allozyme variation. In: Soltis, D. E., Soltis, P. S. (Eds), Isoenzymes in plant biology. Advances in Plant Scienced series, 4: Dioscorides Press, Portland, Oregon, USA General Editor T. R., Dudley.
- 17- Nover, L., 1989. General stress response and interaction of stresses. In; Nover, L., Neumann, D., Scharf, K.D. (Eds.), Heat Shock and Other Stress Response System of Plants Springer, Berlin, Germany.
- 18- NSW State of Environment Report, 1997. Wetlands-the Issue. NSW Environment Protection Authority, Sydney.
- 19- Poly, W.J., 1997. Nongenetic variation, genetic-environmental interactions and altered gene expression Π , disease, parasite and pollution effects. Comparative Biochemistry and Physiology, 117 (1): 61-74.
- 20- Radotic, K., T. Ducic, D. Mutavdzic, 2000. Changes in peroxidase activity and isoenzymes in spruce needles after exposure to different concentrations of cadmium. Environmental and Experimental Botany, 44:105-113.
- 21- Schutzendubel, A., P. Nikolova, C. Radolf, A. Polle, 2002. Cadmium and H2O2-induced oxidative stress in *populus* × *canescens* Roots. Plant Phisiology and Biochemistry, 40:577-584.
- 22- Tom, N.F.Y., Y.S. Wong, 1995. Spatial and temporal variations of heavy metal contamination in sediments of a mangroves swamp in Hong Kong. Marine Pollution Bulletin 31:254-261.
- 23- Van Assche, F.V., H. Clijsters, 1990. Effects of metals on enzyme activity in plants. Plant Cell Environment 13:195-206.
- 24- Vangronveld, J., H. Clijisters 1994. Toxic effects of metals in plant and the chemical elements. Biochemistry, Uptake, Tolerance and Toxicity, 149-177.

Study on peroxidase activity in relation to heavy metals in mangrove species *Avicennia marina* (Frsk.) Vierh

H. Valipour Kahroud¹, S. A. A. Korori², A. SHirvani³ and A. Danehkar⁴

- ¹ M.Sc Student, Faculty of Natural Resources, University of Tehran, I. R. Iran ² Associate Prof, Research Institute of the Forests and Ranges, I. R. Iran
- Assistant Prof, Faculty of Natural Resources, University of Tehran, I. R. Iran
 Assistant Prof, Faculty of Natural Resources, University of Tehran, I. R. Iran
 (Received 2005 Sept 19, Accepted 2005 Des 19)

Abstract

Located in intertidle zone, mangrove forests tolerate rough environmental conditions, including floods, hurricanes and hypersalinity, owing to their special adaptations. Undesirable man-made conditions (like erecting huge oil installations, excessive utilization of the forests), will accelerate destroying rate of the forests. Present research is aimed at investigating peroxides enzyme reaction to heavy metals. Mangrove have been observed to possess a tolerance to high levels of heavy metals, yet accumulated metals may induce intracellular biochemical changes that may affect the processes occurring on the surface of organs. In this study, 60 individuals of Avicennia marina in forests located in Bushehr Province were classified based on electrophoretic isoenzymatic variations. Few frequencies of the peroxidase isoenzymes accompanied by the same site conditions and suitable site distances facilitating gene exchange have caused the existence of different isoenzymatic patterns in all populations. From this standpoint, no enzyme difference is observed in various sites. Of each enzymatic group, 2-year old branches of A. marina treated wit oil pollutants (Nickel Chloride, Cadmium Chloride, Lead Nitrate, Mercury Sulfate, oil and gas oil mixture and a mixture of all pollutants) with concentrations as existed actually for a period of 48 hours. Among all treatments, two of them (CdCl₂ and oil-gasoline mixture) had the most severe effect on the samples. Among three classes separated by PAGE⁵, some indicated increasing pattern and some decreasing. As the time of the treatments increase, peroxidase activity increases in some individuals and decreases in some others, indicating different reactions of trees to stresses.

Keywords: Peroxidase, Heavy Metals, pollution Stress and Mangrove