
:

()

*

(/ / : / / :)

(2001) Loreau

Ma et al., 2008;)
(Xueqin et al., 2003; Yibing et al., 2007

Eremurus anisopterus

Ma et al., 2008; Xueqin et al.,)
(2003
(Pimentel et al., 1997)
Shi et)
(al., 2006

.(Pimentel et al., 1997; Pimentel et al., 2007)
(Pimentel et al., 2007)
(1997) Duelli

Co₂

.(Pimentel et al., 1997)

Gabriel &)
(Tscharntke, 2007; Kevan, 1999; Potts et al., 2006

¹ ephemeralum
² ephemeroïd

-
- Potts *et al.*, 2006;)
(Kevan, 1999
Haddad *et al.*, 2001; Koricheva)
et al., 2000; Siemann *et al.*, 1998; Unsicker *et al.*,
(2006
(Siemann *et al.*, 1998; Haddad *et al.*, 2001)
Hernandez-Ruiz &)
(Castano-Meneses, 2006
(
(Siemann *et al.*, 1998
Haddad *et al.*, 2001; Perner *et al.*, 2005; Tilman,)
(2000; Unsicker *et al.*, 2006
(Borror *et al.*, 1989) Zarrin *et al.*, 1999; Unsicker *et al.*, 2006; Tilman, 2000
Haddad *et al.*, 2001; Koricheva *et al.*,)
Sheridan *et al.*, 2008; Tilman, 2000; 2000
(Unsicker *et al.*, 2006

()	—
a	b *
b	a
b	a
	*

SAS (8.2)

Boissiera squarrosa

/

Gundelia tournefortii

.()

Roemeria hybrida

.()

/

.()

(Knops *et al.*, 2001)

(Bengtsson, 1998)

Lallemantia iberica

/

.()

<i>Acantholimon</i> sp.	<i>Laenatrum</i> sp.	<i>Acanthophyllum</i> sp.	<i>Hordeum glaucum</i>	<i>Acantholepis</i> sp.	<i>Heterodera</i> sp.
<i>Acanthophyllum</i> sp.	<i>Lallemandia iberica</i>	<i>Achillea</i> sp.	<i>Hordeum</i> sp.	<i>Acantholimon</i> sp.	<i>Hordeum</i> sp.
<i>Achillea</i> sp.	<i>Lappula</i> sp.	<i>Acroptilon repens</i>	<i>Hyoscyamus</i> sp.	<i>Aethionema carneum</i>	<i>Hyoscyamus pusillus</i>
<i>Aethionema carneum</i>	<i>Lasiopogon muscooides</i>	<i>Aegilops</i> sp.	<i>Imex</i> sp.	<i>Agropyron</i> sp.	<i>Hypecoum pendulum</i>
<i>Alyssum marginatum</i>	<i>Malcolmia</i> sp.	<i>Alyssum linifolium</i>	<i>Iris</i> sp.	<i>Alyssum linifolium</i>	<i>Koelpinia Linearis</i>
<i>Androsace maxima</i>	<i>Maresia</i> sp.	<i>Alyssum marginatum</i>	<i>Ixiolirion</i> sp.	<i>Anthemis rhodocentra</i>	<i>Lallemandia canescens</i>
<i>Artemisia</i> sp.	<i>Minuartia</i> sp.	<i>Androsace maxima</i>	<i>Koelpinia</i> sp.	<i>Anthemis</i> sp.	<i>Lappula ceratophora</i>
<i>Astragalus</i> sp.	<i>Nardurus subulatus</i>	<i>Arnebia</i> sp.	<i>Lallemandia iberica</i>	<i>Arnebia</i> sp.	<i>Lasiopogon muscooides</i>
<i>Boissiera squarrosa</i>	<i>Nonea</i> sp.	<i>Artemisia</i> sp.	<i>Lappula</i> sp.	<i>Astragalus</i> sp.	<i>Malcolmia</i> sp.
<i>Bromus danthoniae</i>	<i>Parapholis incurva</i>	<i>Astragalus</i> sp.	<i>Lasiopogon muscooides</i>	<i>Astragalus campylorrhynchus</i>	<i>Malcolmia turkestanica</i>
<i>Bromus</i> sp.	<i>Poa bulbosa</i>	<i>Astragalus</i> sp.	<i>Malcolmia</i> sp.	<i>Astragalus</i> sp.	<i>Medicago radiata</i>
<i>Centaurea</i> sp.	<i>Poa</i> sp.	<i>Bellevelia</i> sp.	<i>Minuartia</i> sp.	<i>Astragalus tribuloides</i>	<i>Minuartia</i> sp.
<i>Ceratocarpus arenarius</i>	<i>Polygonum</i> sp.	<i>Boissiera squarrosa</i>	<i>Moriera spinosa</i>	<i>Astragalus</i> sp.	<i>Nonea caspica</i>
<i>Consolida</i> sp.	<i>Roemeria hybrida</i>	<i>Bromus danthoniae</i>	<i>Muscaria</i> sp.	<i>Bromus danthoniae</i>	<i>Octoceras lehmannianum</i>
<i>Cousinia afghanica</i>	<i>Rosa persica</i>	<i>Bromus</i> sp.	<i>Noaea mucronata</i>	<i>Carex physodes</i>	<i>Onosma</i> sp.
<i>Cousinia</i> sp.	<i>Salvia</i> sp.	<i>Carthamus oxyacantha</i>	<i>Orobanche</i> sp.	<i>Centaurea solstitialis</i>	<i>Papaver hybridum</i>
<i>Echinops</i> sp.	<i>Saponaria</i> sp.	<i>Centaurea</i> sp.	<i>Phlomis</i> sp.	<i>Ceratocephalus falcata</i>	<i>Parapholis incurva</i>
<i>Eremopyrum</i> sp.	<i>Scabiosa olivieri</i>	<i>Centaurea virgata</i>	<i>Poa bulbosa</i>	<i>Colchicum</i> sp.	<i>Plantago</i> sp.
<i>Euphorbia</i> sp.	<i>Scariola orientalis</i>	<i>Ceratocarpus arenarius</i>	<i>Polygonum</i> sp.	<i>Dipterocome pusilla</i>	<i>Poa bulbosa</i>
<i>Gagea</i> sp.	<i>Stipa</i> sp.	<i>Ceratocephalus falcata</i>	<i>Primula</i> sp.	<i>Epilasia</i> sp.	<i>Rhagadiolus stellatus</i>
<i>Koelpinia linearis</i>	<i>Taeniatherum</i> sp.	<i>Cirsium arvense</i>	<i>Reseda lutea</i>	<i>Eremopyrum</i> sp.	<i>Roemeria hybrida</i>
		<i>Cleome</i> sp.	<i>Roemeria refracta</i>	<i>Eremurus</i> sp.	<i>Salsola kali</i>
		<i>Cousinia boissieri</i>	<i>Rosa persica</i>	<i>Euclidium syriacum</i>	<i>Saponaria</i> sp.
		<i>Cousinia</i> sp.	<i>Rumex</i> sp.	<i>Gagea</i> sp.	<i>Schismus arabicus</i>
		<i>Crepis</i> sp.	<i>Saponaria</i> sp.	<i>Galium</i> sp.	<i>Scorzoneroides</i> sp.
		<i>Cynodon dactylon</i>	<i>Scabiosa olivieri</i>	<i>Garhadiolus angulosus</i>	<i>Senecio glaucus</i>
		<i>Echinops</i> sp.	<i>Scariola orientalis</i>	<i>Glaucium flavum</i>	<i>Spergularia</i> sp.
		<i>Eremopyrum</i> sp.	<i>Sisymbrium officinale</i>	<i>Goldbachia laevigata</i>	<i>Trigonella</i> sp.
		<i>Eryngium</i> sp.	<i>Stipa</i> sp.	<i>Gymnarrhena</i> sp.	<i>Valerianella dufresnia</i>
		<i>Euphorbia</i> sp.	<i>Tragopogon</i> sp.	<i>Heterasia</i> sp.	<i>Valerianella</i> sp.
		<i>Euphorbia bungei</i>	<i>Trigonella</i> sp.	<i>Heterocaryum szovitsianum</i>	<i>Veronica</i> sp.
		<i>Gagea</i> sp.	<i>Turgenia</i> sp.		
		<i>Galium</i> sp.	<i>Vaccaria oxyodonta</i>		
		<i>Gundelia tournefortii</i>	<i>Vaccaria pyramidata</i>		
		<i>Haplophyllum</i> sp.	<i>Valerianella</i> sp.		
			<i>Veronica</i> sp.		

Alyssum linifolium *Erodium oxyrhynchum*

Carex physodes

A. linifolium *C. physodes*

Alyssum *A. linifolium*

marginatum

(Xueqin et al., 2003)

.()

Gagea sp.

()

(Yibing et al., 2007; Xueqin et al., 2003)

<i>Alyssum marginatum</i>	<i>Alyssum linifolium</i>	<i>Alyssum linifolium</i>
<i>Astragalus sp.</i>	<i>Alyssum marginatum</i>	<i>Arnebia sp.</i>
<i>Echinops sp.</i>	<i>Arnebia sp.</i>	<i>Astragalus campylorrhynchus</i>
<i>Eremopyrum sp.</i>	<i>Astragalus sp1.</i>	<i>Astragalus sp1.</i>
* <i>Gagea sp.</i>	<i>Astragalus sp2.</i>	<i>Astragalus sp2.</i>
<i>Koelpinia linearis</i>	<i>Crepis sp.</i>	<i>Astragalus tribuloides</i>
<i>Lappula sp.</i>	<i>Echinops sp.</i>	<i>Astragalus sp3.</i>
<i>Nonea sp.</i>	<i>Eremopyrum sp.</i>	* <i>Carex physodes</i>
	* <i>Gagea sp.</i>	<i>Eremopyrum sp.</i>
	* <i>Ixilirion sp.</i>	* <i>Eremurus sp.</i>
	<i>Koelpinia sp.</i>	* <i>Gagea sp.</i>
	<i>Lappula sp.</i>	<i>Garhadiolus angulosus</i>
<i>Nonea mucronata</i>		<i>Goldbachia laevigata</i>
* <i>Tragopogon sp.</i>		<i>Hypcum pendulum</i>
<i>Trigonella sp.</i>		<i>Koelpinia linearis</i>
<i>Veronica sp.</i>		<i>Lappula ceratophora</i>
		<i>Nonea caspica</i>
		<i>Onosma sp.</i>
		<i>Plantago sp.</i>
		<i>Salsola kali</i>
		<i>Schismus arabicus</i>
		* <i>Scorzonera sp.</i>
		<i>Senecio glaucus</i>
		<i>Spergularia sp.</i>
		<i>Trigonella sp.</i>
		<i>Veronica sp</i>

*

.()

.()

Diptera

Diptera

Tscharntke Kruess

(2002)

)

Diptera

Homoptera


(

Homoptera

(Rowe et al., 2006)

.()

.()



/

(

)

.()

...

/

Acari
Coleoptera
Collembola
Diptera
Heteroptera
Homoptera
Hymenoptera
Isopoda
Isoptera
Lepidoptera
Mantodea
Mesostigmata
Neuroptera
Orthoptera
Phasmoptera
Thysanoptera
unknown

()

Coleoptera	Alleculidae(1), Anthicidae(1), Bruchidae(2) Buprestidae(1) Chrysomelidae(5), Cleridae(1), Coccinellidae(6) Curculionidae(5), Mordellidae(1), Nitidulidae(1), Staphylinidae(2)
Collembola	Sminthuridae(1)
Diptera	Anthomyiidae(4), Asilidae(2), Bombyliidae(1), Calliphoridae(1) Cecidomyiidae(1), Chloropidae(3), Coelopidae(1) Culicidae(2) Dolichopodidae(1), Empididae(2), Muscidae(2), Mycetophilidae (1) Oestridae(1), Pipunculidae(1), Rhinophoridae(1), Sepsidae(1) Scathophagidae(2), Scatopsidae(1), Sciaridae(2) Syrphidae(2), Tachinidae(2), Therevidae(1), Tephritidae(6)
Heteroptera	Pentatomidae(3), Miridae(5), Alydidae(1), Anthocoridae(1) Rhopalidae(2), Coreidae(1), Berytidae(1), Lygaeidae(2)
Homoptera	Aphididae(4), Cicadellidae(5), Psyllidae(2)
Hymenoptera	Braconidae(4), Sphecidae(1), Ichneumonidae(2) Vespidae(1), Formicidae(7), Halictidae(1)
Lepidoptera	Lycaenidae(1), Styridae(1)
Mantodea	Mantidae(1)
Orthoptera	Acrididae(9), Tanaoceridae(1), Tettigonidae(3)
Phasmoptera	Heteronemiidae(1)
Thysanoptera	Phaeothripidae(1)

()

Coleoptera	Alleculidae(2), Bruchidae(2), Buprestidae(2), Cerambycidae(1) Chrysomelidae(5), Cleridae(1), Coccinellidae(2) Concharidae(1), Curculionidae(3), Dermestidae(1) Meloidae(1), Mordellidae(1), Nitidulidae(1), Scarabaeidae(1) Staphylinidae(1), Tenebrionidae(2)
Collembola	Sminthuridae(1)
Diptera	Anthomyiidae(1), Scathophagidae(4), Empididae(3), Chironomidae(3) Bibionidae(3), Tachinidae(2), Tipulidae(1), Chloropidae(1) Tephritidae(3), Muscidae(3), Sepsidae(1), Bombyliidae(2)
Hemiptera	Pentatomidae(3), Miridae(4), Alydidae(1), Scutelleridae(1) Rhopalidae(1), Coreidae(1), Lygaeidae(3)
Homoptera	Aphididae(5), Cicadellidae(5), Delphacidae(1), Psyllidae(2)
Hymenoptera	Anthophoridae(1), Braconidae(3), Formicidae(7) Halictidae(2), Ichneumonidae(4), Megachilidae(2)
Isoptera	Hodotermitidae(1)
Orthoptera	Acrididae(1), Tettigonidae(1)
Thysanoptera	Phaeothripidae(1)

()

Coleoptera	Coccinellidae(6), Curculionidae(4), Nitidulidae(1), Dermestidae(1), Tenebrionidae(1), Meloidae(2), Alleculidae(1), Staphylinidae(2) Concharidae(2), Bruchiidae(1), Chrysomelidae(3)
Collembola	Sminthuridae(1)
Diptera	Phoridae(1), Rhinophoridae(1), Scatopsidae(1), Coelophidae(1) Empididae(2), Therevidae(1) Chironomidae(1), Anthomyiidae(2), Syrphidae(3) Chloropidae(1), Muscidae(1), Tephritidae(3), Simuliidae(1)
Heteroptera	Pentatomidae(2), Scutelleridae(2), Lygaeidae(4) Anthocoridae(2), Rhopalidae(3) Reduviidae(2), Tingidae(1), Miridae(5)
Homoptera	Psyllidae(5), Cicadellidae(2), Aphididae(2)
Hymenoptera	Braconidae(1), Halictidae(1), Formicidae(5)
Mesostigmata	Laelapidae(1)
Neuroptera	Chrysopidae(1)
Orthoptera	Acrididae(3), Tettigonidae(1)
Thysanoptera	Aeolothripidae(1), Phaeothripidae(1)

		—
/ a	a *	
/ b	/ b	
/ b	/ b	*

(2003) Gahanbin Koocheki .

.(Giller *et al.*, 1997)

Eremurus sp.

Yibing et al., 2007; Xueqin et al.,)

.(2003

Eremurus sp.

References

- Bengtsson, J. 1998. Which Species? What Kind of Diversity? Which Ecosystem Function? Some Problems in Studies of Relations between Biodiversity and Ecosystem Function. *Applied Soil Ecology*, 10: 191-199.
- Borror, D.J., C.A. Triplehorn and N.F. Johnson. 1989. An Introduction to Study of Insects. Saunders College Publishing Co, Philadelphia, 875pp.
- Duelli, P. 1997. Biodiversity Evaluation in Agricultural Landscapes: An Approach at Two Different Scales. *Agriculture, Ecosystems and Environment*, 62: 81-91.
- Gabriel D. and T. Tscharntke. 2007. Insect Pollinated Plants Benefit from Organic Farming. *Agriculture, Ecosystem and Environment*, 118: 43-48.
- Giller, K.E., M.H. Beare, P. Lavelle, A.M.N. Izac and M.J. Swift. 1997. Agricultural Intensification, Soil Biodiversity and Agroecosystem Function. *Applied Soil Ecology*, 6: 3-16.
- Haddad, N.M., D. Tilman, J. Haarstad, M. Ritchie and J.M.H. Knops. 2001. Contrasting Effects of Plant Richness and Composition on Insect Communities: A Field Experiment. *American Naturalist*, 158: 17-35.
- Hernandez-Ruiz, P. and G. Castano-Meneses. 2006. Ants (Hymenoptera: Formicidae) Diversity in Agricultural Ecosystems at Mezquital Valley, Hidalgo, Mexico. *European Journal of Soil Biology*, 42: 208-212.
- Kevan, P.G. 1999. Carabid Beetles in Sustainable Agriculture: A Review on the Pest Control Efficacy, Cultivation Impacts and Enhancement. *Agriculture, Ecosystem & Environment*, 74: 187-228.
- Knops, J.M.H., D. Wedin and D. Tilman. 2001. Biodiversity and Decomposition in Experimental Grassland Ecosystems. *Oecologia*, 126: 429-433.
- Koocheki, A and G. Gahanbin. 2003. Final Report of Research Design in Study of Agricultural Biodiversity of Iran. Center of Excellence for Special Crops, Ferdowsi University of Mashhad, 82pp. (in Persian)
- Koricheva, J., C.P.H. Mulder, B. Schmid, J. Joshi K. Huss-Danell. 2000. Numerical responses of different trophic groups of invertebrates to manipulations of plant diversity in grasslands. *Oecologia* 125, 271–282
- Kruess A. and T. Tscharntke. 2002. Contrasting Response to Plant and Insect Diversity to Variation in Grazing Intensity. *Biological Conservation*, 106: 293-302.
- Loreau, M., S. Naeem, P. Inchausti, J. Bengtsson, J.P. Grime, A. Hector, D.U. Hooper, M.A. Huston, D. Raffaelli, B. Schmid, D. Tilman and D.A. Wardle. 2001. Biodiversity and Ecosystem Functioning: Current Knowledge and Future Challenges. *Science*, 294: 804-808.
- Ma, M., J. Fan and J. Li. 2008. Pollination Characteristics of the Ephemeroptera Plant *Eremurus anisopterus*. *Front. Bot. China* 3:315-319.
- Perner, J., C. Wytrykush, A. Kahmen, N. Buchman, I. Egerer, S. Creutzburg, N. Odat, V. Audorff and W.W. Weisser. 2005. Effects of Plant Diversity, Plant Productivity and Habitat Parameters on Arthropod Abundance in Montane European Grasslands. *Ecography*, 28: 429-442.
- Pimentel, D., C. Wilson, C. McCullum, R. Huang, P. Dwen, J. Flack, Q. Tran, T. Saltman and B. Cliff, B. 1997. Economic and Environmental Benefits of Biodiversity. *Bioscience*, 47: 747-757.
- Pimentel, D., T. Petrova, M. Riley, J. Jacquet, V. NG., J. Honigman and E. Valero. 2007. Conservation of Biological Diversity in Agriculture, Forestry and Marine Systems: 1-27. In J. Schwartz (Eds.). Focus on Biodiversity research, Nova Publishers, 320p.

...

-
- Potts, S.G., T. Petanidou, S. Roberts, C. O'Toole, A. Hulbert and P. Willmer. 2006. Plant-pollinator Biodiversity and Pollination Services in a Complex Mediterranean Landscape. *Biological Conservation*, 129: 519-529.
 - Rowe, E.C., J.R. Healey, G. Edwards-Jones, J. Hills, M. Howells and D.L. Jones. 2006. Fertilizer Application During Primary Succession Changes the Structure of Plant and Herbivore Communities. *Biological Conservation*, 131: 510-522.
 - Sheridan, H., J.A. Finn, N. Culleton and G. O'Donovan. 2008. Plant and Invertebrate Diversity in Grassland Field Margins. *Agriculture, Ecosystems and Environment*, 123: 225-232.
 - Shi, Z.Y., L.Y. Zhang, X.L. Li, G. Feng, C.Y. Tian and P. Christie. 2006. Diversity of Arbuscular Mycorrhizal Fungi Associated with Desert Ephemerals in Plant Communities of Junggar Basin, North West China. *Applied Soil Ecology*, 35: P.10-20.
 - Siemann, E., D. Tilman, J. Haarstad M.E. Ritchie. 1998. Experimental Tests of the Dependence of Arthropod Diversity on Plant Diversity. *American Naturalist*, 152: 738–750.
 - Tilman, D. 2000. Causes, Consequences and Ethics of Biodiversity. *Nature*, 405: 208-211.
 - Unsicker, S.B., N. Baer, A. Kahmen, M. Wagner, N. Buchmann and W.W. Weisser. 2006. Invertebrate Herbivory along a Gradient of Plant Species Diversity in Extensively Managed Grasslands. *Oecologia*, 150: 233-246.
 - Xueqin, W., J. Jin, L. Jiaqiang, Z. Weimin and Q. Yibing. 2003. Distribution of Ephemeral Plants and Their Significance in Dune Stabilization in Gurbantunggut Desert. *Journal of Geographical Sciences*, 13: 323-330.
 - Yibing, Q., W. Zhaoning, Z. Liyun, Z. Ruifeng, W. Xiaoyan and L. Youmin. 2007. Spatial Patterns of Ephemeral Plants in Gurbantunggut Desert. *Chinese Science Bulletin*, 52: 3118-3127.
 - Zarin, D.J., G. Huijun and L. Enu-Kwesi. 1999. Plec News and Views: Special Issue on Methodology. No.13 The United Nations University Project on people, land management and environmental change (PLEC), 38pp.

Evaluation of Structural Biodiversity in Natural Systems of Arid and Semi-arid Regions: Plants and Arthropods

A. Khodashenas^{*1}, M. Khodashenas², A. Koocheki³, H. Sadeghi Namaghi⁴ and M. Nassiri Mahallati³

¹ Researcher, Agricultural and Natural Resources Research Center of Khorasan Razavi, I.R. Iran

² Lecturer, Payame Noor University of Mahvelat, I.R. Iran

³ Professor, Faculty of Agriculture, Ferdowsi University of Mashhad, I.R. Iran

⁴ Associate prof., Faculty of Agriculture, Ferdowsi University of Mashhad, I.R. Iran

(Received: 16/04/2010 , Accepted: 29/06/2011)

Abstract

Plants and arthropods are the main elements of biodiversity in ecosystems. In order to evaluate structural biodiversity of plants and arthropods in natural systems of arid land, a study was carried out in Shirvan, Mashhad and Gonabad, three regions of Razavi and Northern Khorasan provinces, Iran. In each region, 10 areas of natural systems selected and sampling was done in these selected areas. Plant sampling performed by quadrates and arthropod sampling was done by sweep net. Species richness of plants in natural systems of Mashhad and Gonabad was greater than Shirvan. In the same time, species richness and abundance of insects in the natural system of Shirvan were greater than two other systems. Furthermore, species richness and abundance of spiders in the natural system of Shirvan were greater than two other systems. Results showed that biodiversity of plants and arthropods were affected by increasing of mean annual temperature and decreasing of mean annual precipitation.

Keywords: Biodiversity, Plants diversity, Insect's diversity, Spider's diversity, Ephemerals, Khorasan